

SONY

Live Your Vision

NABSHOW[®]
Where Content Comes to Life

Ludmila Javorkova
György Moravszky
ABEX show, 21.05.2022



NAB 2022 Exhibit Area Highlights


Exhibit Area	Category	Featured Product / Solution	Points
Cloud • AI	Camera to Cloud Connection	C3 Portal	Camera Connection Gateway Service using with Smart phone for easy connection and 5G mobile network.
	Remotely Collaboration	Ci Media Cloud	Ci Media Cloud is more than just for sharing and collaboration, introducing new Ci Mobile app, Apple TV app and EDL based workflow and more for greater efficiency and productivity.
	Workflow Orchestration	Media Solution Toolkit	Introduction of the new IMS service with key features like live ingest, multi camera clipping & highlights generation, and automatic/manual logging,
	Media Analytics	Media Analytics Portal	Enhancement of diverse AI engines for sports contents, live and file speech-to-text, and Valossa as new 3rd party integration.
	Cloud Live Production System	R&D: Cloud Live Production	Cloud Native Multi-point to Multi-point Live Production
		R&D 5G Transmitter Box	High Quality / Low Latency 5G & Cloud Live Production
Networked Live Solution	Networked Live Solution	Networked Live Production	Introduction of Networked Live workflow On Prem-Cloud hybrid live production
	Management & Orchestration	Video IPath , LEO	Evolution of orchestration layer VideoIPath with BC product announcement, and LEO advanced monitoring
	Media Transport	R&D : Contribution Technology	Evolution of media transport with the new contribution technology High Picture Quality / Low bitrate / Low Latency
	Replay	Hawkeye Replay Solution	Remote operation and data integration. HFR capability with HDC-3500 1080p 4x
Camera Set / Imaging Solutions	Live Cameras	HDC-F5500, HDC-5500, HDC-3500, HDC-3200, HXC-FB80 HDC-P31/P50, HDLA-3505/3501	Brand new cameras : HDC-F5500 and HDC-3200 New Large Lens Adaptor : HDLA-3505/3501
	Camcorder	PXW-Z280, PXW-Z750	PXW-Z750 v3.1 will be released in July 2022.
	Cinema cameras	VENICE 2, VENICE	Venice 2 has lots of updates based on VENICE users' voices.
	Switcher	XVS-G1, ELC	v1.2 new feature demonstration, available in summer
Professional Audio	Microphone	UWP-D Series (URX-P41D, UWP-D27), DWX Series, Shotgun series	URX-P41D and UWP-D27 are successor of current URX-P03D 2-channel portable receiver.
Professional Monitors	Monitors	PVM-X Series, BVM-HX310, BVM-E, LMD Series	V4 Firmware for PVM-X will be released in Summer.
LED Walls	LED Video Walls	Crystal LED (4K CLED)	large-scale Micro LED displays and video walls create extraordinary visual experiences of any size and scale.
Professional Display	Display	Bravia for professional display	Every BRAVIA Professional Display is designed to help you do better business.
Spatial Reality Display		ELF-SR1	ELF-SR1 delivers a bright, clear 3D image to each one.

Nevion Solutions Update

Remote &
Distributed
PRODUCTION




Products promotions @ NAB



VideoIPath

Virtuoso


New with initial Broadcast Controller release



Widget based panel App



Sony Panel support




Tally and UMD




Alias name 1: Camera Venue overview
Alias name 2: CAM_A
Alias name 3: John
Alias name 4: Sony HDCXY1234


Alias / Mnemonics



Destination monitor



End-point grouping



Salvo/ preset



Sony device support

A unique solution for IP networks



Supported by a **new VideoIPath business model**

VideoIPath – **New** Inspect Application

WHO


Broadcast Engineer
Network Engineer

WHY

Reduce down-time
Reduce efforts & resources


HOW

Monitor & Diagnose IP systems:
Faster → Deeper → Simpler




Products promotions @ NAB

VideoIPath



Virtuoso

UHD/HD 2110 Gateway Media Function (HBR25)




- ✓ Frame Sync
- ✓ Video delay
- ✓ Audio shuffling
- ✓ Audio delay
- ✓ Audio gain
- ✓ De-embedding/Embedding
- ✓ Extensive content monitoring
- ✓ Thumbnails of inputs and outputs



1U

16 UHD inputs + 16 UHD outputs in 1RU

Up/Down/Cross UHD/HD Media Function (HBR25)




- ✓ HD to HD conversion
- ✓ HD to UHD up-conversion
- ✓ UHD to HD down-conversion
- ✓ High quality de-interlacing
- ✓ Frame Sync
- ✓ Video sample legalizer
- ✓ Thumbnails of inputs and outputs



16 UHD Up/Down/Cross in 1RU


JPEG XS UHD/HD Media Functions (HBR10/HBR25)

IP <-> IP solution (HBR25)



**16x UHD channels or
32x 3G/HD channels in 1RU**

SDI <-> IP solution (HBR10)



**16x UHD channels or
24x 3G/HD channels in 1RU**

Solution Blueprints @NAB (and beyond)

Virtuoso for SDI/optical applications (Flashlink replacement)

Modular router replacement

Master Control Room renewals


SONY

Cloud Solutions



C3 = camera, connect, cloud

C3 Portal : The Camera Connection Gateway Service through subscription model



Sony's Cameras

Mobile App

Cloud Service

Other Cloud Services

- Simple connection of Sony cameras by mobile app via QR code scanning
- Fast content delivery to PAM/MAM
- Unique metadata and proxy workflow
- Time and cost saving

C3 Portal : Time and Cost saving

- No need to lose time in traffic
- No need to lose time for ingest for on-line news publishing
- Time saving thanks to metadata from field
- Remote camera control allowing a single operator to oversee multiple cameras
- Camera setup from cloud to save time and cost
- Camera can stream although it is not the main role
- Mobile phone with XPT app can be used as camera (file / stream)

- Customer quote:

“C3Portal helps us to enrich our lunch bulletin. Camera crew do not need to go back to ingest the material. Instead, they can shoot more stories. We are much quicker in publishing to Social Media”.

SONY

ProAudio



Pro Audio



- **UWP-D Series**

- NEW URX-P41D Dual channel receiver
- Alongside FX6 and Z280 Camcorders with SMAD-P5 Mi Shoe
- Individual transmitter components on display

- **DWX Series**

- Installation: DWR-R03D rack plus transmitter options – including Wireless Studio software display
- ENG: DWR-S03D alongside Shoulder Cam (X400)
- **Location Sound: DWR-S03D compatibility with SoundDevices**

Key Highlights – UWP-D

- Introduction of the **NEW UWP-D Dual Channel Receiver**

- URX-P41D Receiver (successor model of the URX-P03D)
- UWP-D27 Kit – a new kit including 1 x URX-P41D and 2 x UTX-B40 belt pack



Key Golden Bullets

- Digital Audio Processing using the SMAD-P5 Mi Shoe for improved sound quality
- NFC Sync for RX and TX pairing
- Auto Gain Mode to help control audio levels in difficult shooting scenarios
- Output level control when using analog output (particularly useful for ILC)

- Particularly important to remember:

- Sony UWP-D is **the best audio option** for your Sony camcorder or Sony Alpha using Mi Shoe technology
- No cables and unique power unification!

- Check out the latest UWP-D info here

- www.pro.sony/uwpd





SONY

Imaging Solutions



Cinema Line



▲ RCP-3500



▲ E-PL mount adapter of Chrosziel

VENICE 2

- 8K VENICE model displayed

8.6K Full-Frame		
8.6K	3:2	30 FPS
8.2K	17:9/16:9	60 FPS
5.8K	6:5	48 FPS
5.8K	17:9/16:9	90 FPS

FX9 V3.0

- S700 Protocol over Ethernet → RCP is compatible
 - ✓ RCP-3500 is prepared
- B4 Lens Support (S16 scanning mode)
 - ✓ LA-EB1 is prepared
 - ✓ 4K lens of Canon or Fujinon
- PL lens is also available
 - ✓ Adapter of Chrosziel is prepared

FX6 V2.0


- Real-time Tracking AF → Benefit of E-mount Lens
 - ✓ SEL24105G, SELP1635G (New lenses)
- 16-bit RAW output via HDMI

Key Highlights VENICE 2


- All **new FullFrame 8K Sensor**
 - Better highlight Roll-offs
 - Higher Sensitivity
 - Amazing Colour reproduction incl. Skin Tones
- **Internal X-OCN / 4K ProRes recording**
 - Smaller and lighter body
 - Supporting the 2 main recording formats from CINE industry
- **Dual Base of ISO 800 & 3200**
 - Better Sensitivity and handling of details in the shadows
- **16 stops of Dynamic Range**
 - 1 stop more versus VENICE 1 in the shadows will result in more details visible there
- **Full Frame & S35 Sensor modes**
 - DoPs can use their preferred lens with the same camera
- Same Viewfinder, AXS media and AXS card reader
 - Compatible between VENICE 1 & 2
- Support of new 8K sensor but also existing VENICE 6K sensor



8.6K sensor imager modes in v1.0



Recap what was Shot on VENICE




Shot On Sony | Sony Cine


SONY

Alpha/Xperia PRO

<Corner Top View>



<Corner Front View>



Alpha x LENS

a1 & a7S III

Lightweight solution
for Airpeak

a7 IV

Focus breathing compensation DEMO

Alpha x Xperia

a1 & a7S III

External monitor function & files transfer via 5G

a7 IV

Show USB (UVC/UAC) & Live streaming concept



Lightweight x 8K solution for Airpeak



a1 (ILCE-1)
(Flagship, 8K30p)



SEL40F25G
(Compact G-Lens)

Lightweight x Low Light for Airpeak



a7S III (ILCE-7SM3)
(Low-light 4K120P)



SEL24F28G
(Compact G-Lens)

Focus breathing compensation DEMO



a7 IV (ILCE-7M4)
(Focus breathing comp.)



SEL50F12GM
(50mm F1.2 G Master)

Vlog

External monitor & files transfer via 5G with Xperia PRO



a1 (ILCE-1)



SEL24F14GM
(Wide Prime)

Xperia PRO



a7S III (ILCE-7SM3)



SELC1635G
(Cine LENS)

Xperia PRO

USB (UVC/UAC) & Live Streaming



a7 IV (ILCE-7M4)



SELP28135G
(Power Zoom)

Xperia PRO-I

Mobile Vlog style with Grip & monitor



Vlog monitor Bluetooth Grip

▲ Set-up in "Camera rig" and display together

SONY

SONY

Virtual Production



Virtual Production / CLED B-Series

4K CLED B-Series shown on the booth

Why Virtual Production (VP)

Trend of Virtual Production to capture people and objects together with image on a large LED display

Location Shooting



Shooting in the actual locations.

Green screen shooting



Shooting in a studio with a background colour easy to composite and compose in post-production.

Virtual Production



Real landscapes and 3DCG backgrounds displayed on a LED display. Real people and objects placed in front of Display to be shot in real time.

Free from constraints

- Environment, weather, place and time
- Safe distancing and travel restrictions
- Allowing re-filming as many time as creators want

In-Camera VFX

- Staff and performers can recognise objects in the screen
- LED light reflection on foreground objects

New production workflow

- Reducing travel expense for all crews
- Reducing post-production VFX editing

Today's challenges in Virtual Production

Issues:

Low resolution of the backdrop

= Less flexibility in shooting & Moire



Surface reflection

= Additional post production



Narrow colour space, low brightness with low dynamic range


= Less reality

Narrow viewing angle


= Colour changes with angle

Sony Solution with CLED B-Series:

Two fine pitch models



Anti-reflection coating for minimal reflection



Wide colour space (close to DCI-P3) & **high brightness** (1,800 cd/m *P1.2mm) with high dynamic range

Wide viewing angle




SONY

XVS Family at NAB



XVS Family Overview



High-End XVS Engines

XVS-6000
Small/
Medium
Studios / OB



XVS-7000
Medium /
Large
Studios / OB



XVS-8000
Large Studios /
OB



XVS-9000
FLAGSHIP
Switcher for
Large UHD
productions



New Compact System

XVS-G1
Small/ Medium
Studio / OB



Compact All in One Panels



System Benefits:

- Scalable XVS engines which fits all kind of productions
- Flexible I/F for all 3G, 12G (SDI) and IP (100G) or hybrid solutions.
- Long term commitment for LP switchers from Japan
- Proven 3rd Party integration for studio-automation
- HDR / SDR & HD / UHD processing with internal conversion

Operational Benefits


- Networkable virtual and hardware control panels for all kind of productions (smart, traditional or remote)
- Reliable operational system (linux)
- Well-known and innovative operational philosophy

Safe Investment


- Powerful service and support
- Massive operator (freelance) base available to support operations
- Long life support including 7-years spare part availability from (EoL)

XVS-G1 Top 3 features

HD power base + UHD HDR capability



Very Simple & Straightforward System Installation & Integration



Control System Power

Highly flexible Mix-Effect-Boards



Creative Power

Easy to set via the menu



This flexibility is unique for systems in that market segment!

SONY

Live Production



Camera Lineup Overview

Support various requirement with latest technology & workflow



8K Live Camera
UHC-8300



4K 8x Ultra Motion
HDC-4800



4K S35mm Cinema Live
HDC-F5500

Premium Range

- ✓ Bring premium contents for audience
- ✓ Market leading cutting edge technology
- ✓ Consistent WF of Live Production



4K 2x / HD 8x Slo-mo
HDC-5500

Upgradable
Side Panel



4K 1x / HD 4x Slo-mo
HDC-3500



4K 1x / HD 1x
HDC-3200



4K 1x / HD 6x Slo-mo
HDC-P50

New Market Standard for 4K / HDR production

- ✓ New 4K de-fact standard after HDC-4300
- ✓ Global Shutter technology open up new possibility
- ✓ Flexible upgradability / backward compatibility



HD Fiber
HDC-3100



HD Triax
HDC-3170



HD Fiber
HXC-FB80



HD POV
HDC-P31

HD Range

- ✓ Highest sensitivity with Global Shutter technology
- ✓ Support all the latest features of HDC
- ✓ Backward compatibility with previous generation

1. Expand UHD GlobalShutter Lineup : HDC-F5500

Artistic style shooting with perfect integration for Live Production



HDC-F5500

Value : 1. Simple & fast setup, 2. Consistent Live Workflow, 3. Perfect Live system integration

- ✓ PL mount Shallow Depth of Field with **S35mm 4K Global Shutter imager**
- ✓ **Quick & Simple set-up** with robust one-piece design. No spaghetti cabling .
- ✓ **Full integration & paint control** for RCP/MSU Live operation
- ✓ Integration with **IP ST 2110/NMOS/BC controller** for remote production
- ✓ Fast editing workflow by 10G Network File Transfer of CCU
- ✓ **Full compatibility with HDC accessory : CCU/VF/RCP/IP etc.** No complexity of mixed operation.
- ✓ **New 8 position ND filter / New VF slide mechanism / S-Gamut3.cine support**



Live Entertainment



Live Sports

F55 Live

Target Application

- Live Entertainment with artistic style shooting, which require quick setup for daily operation
- Live Sports Production which require consistent system & workflow with other HDC camera system

1. Expand UHD GS Lineup : HDC-3200



New HDC-3200

Fiber
Transmission



HDCU-3500/3100

4K-HDR

HD/HD-HDR

2/3" 4K 3CMOS Imager with Global Shutter

- ✓ HDR(HLG, Slog-3) / BT.2020 supported
- ✓ Optional Dual Filter wheel / Optional

Keep integration with the Current HDC series

- ✓ Backward compatibility with CCU, HDLA, RCP/MSU and HDVF
- ✓ Integration with HDCE-TX30 for remote production

Future Proof with IP Ready

- ✓ ST 2110 support / NMOS IS-04/05,
- ✓ IP Intercom / SNMP / Ember+ supported

Standard : 1080/50i



HDC-3200



HDCU-3500

License install via
USB



HDC-3200
+ Progressive License

Phase1 : 1080/50P



HDCU-3500

License install via
USB



HDC-3200
+ Progressive License

Phase2 : 2160/50P



HDCU-3500
+ UHD format license

• New HDLA for large lens

- **2 models** : Richer successor model, and simpler affordable model
 - Both models have the one-touch camera installation mechanism like the current models.
- **HDLA-3505 Main Features:**
 - Can be used with the HDVF-EL70 by the viewfinder table up on the necessity.
 - Has a LCD panel for the HDLA's button assignment and simple monitoring for return/prompter SDI IN.
 - Camera numbers on the side panel are made by the display manageable electric paper device.
 - Provided with the USB type-A/C connectors for the power supply to the external gadget devices.
- **HDLA-3501 Main Features:**
 - Easier access to the camera head rear panel operation because of wider shaped design.
 - No panel operations.
 - USB type-A power supply

Timing : FY22 June



SONY